

Appl. No. 10/053,183

Reply to Office Action of June 18, 2004

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the above-identified application:

1. (Cancelled):

2. (Currently Amended): The system as in claim [[1]] 7 wherein the electronic control unit is in communication with a performance monitoring system.

3. (Previously Presented): The system as in claim 2 wherein the performance monitoring system comprises an aircraft in communication with an address reporting system and a trend monitoring system.

4. (Currently Amended): ~~The system as in claim 1~~ A system for monitoring performance, reliability and condition of a line replaceable unit used with machines comprising:

a computer chip positioned with said line replaceable unit and in communication with a smart data memory module, said computer chip storing as built data for said line replaceable unit, said as built data including identification data; and

said smart data memory module in communication with an electronic control unit, said smart data memory module receiving the as built data, including the identification data, from the computer chip, said received identification data compared to previously received data to determine if the line replaceable unit has been replaced, said as built data used to determine an operational state of the line replaceable unit and wherein said identification data includes a serial number and a part number.

Appl. No. 10/053,183

Reply to Office Action of June 18, 2004

5. (Currently Amended): The system as in claim ~~[[1]]~~ 4 wherein said computer chip receives and stores a set of operational data from sensors of said line replaceable unit.

6. (Currently Amended): ~~The system as in claim 1~~ A system for monitoring performance, reliability and condition of a line replaceable unit used with machines comprising:

a computer chip positioned with said line replaceable unit and in communication with a smart data memory module, said computer chip storing as built data for said line replaceable unit, said as built data including identification data; and

said smart data memory module in communication with an electronic control unit, said smart data memory module receiving the as built data, including the identification data, from the computer chip, said received identification data compared to previously received data to determine if the line replaceable unit has been replaced, said as built data used to determine an operational state of the line replaceable unit and wherein said as built data further includes performance unit characteristics, a place of manufacture, a new and repair status, and a type of repair.

7. (Currently amended): ~~The system as in claim 1~~ A system for monitoring performance, reliability and condition of a line replaceable unit used with machines comprising:

a computer chip positioned with said line replaceable unit and in communication with a smart data memory module, said computer chip storing as built data for said line replaceable unit, said as built data including identification data; and

said smart data memory module in communication with an electronic control unit, said smart data memory module receiving the as built data, including the identification data, from the computer

Appl. No. 10/053,183

Reply to Office Action of June 18, 2004

chip, said received identification data compared to previously received data to determine if the line replaceable unit has been replaced, said as built data used to determine an operational state of the line replaceable unit and wherein said smart data memory module receives and stores a plurality of sets of operational data transmitted from said line replaceable unit, and wherein the plurality of sets of operational data are compared to the as built data to determine the operational state of the line replaceable unit.

8. (Previously Presented): A system for monitoring performance, reliability and condition of apparatus used with machines comprising:

a computer chip positioned with a line replaceable unit and in communication with a smart data memory module, wherein said computer chip receives and stores a set of as built data for said line replaceable unit, and wherein said set of as built data comprises a part number, a serial number, a unit performance characteristics, a place of manufacture, a new and repair status, and a type of repair; and

said smart data memory module positioned with a machine operating with said line replaceable unit and in communication with an electronic control unit.

9. (Previously Presented): The system as in claim 8 wherein said set of as built data is received by said smart data memory module.

10. (Previously Presented): The system as in claim 8 wherein said set of as built data is compared to operational data to determine a performance of said line replaceable unit.

Appl. No. 10/053,183

Reply to Office Action of June 18, 2004

11. (Previously Presented): The system as in claim 7 wherein said plurality of sets of operational data comprises an hours accumulated, a number of starts accumulated and a built in test results that have occurred during specified time periods wherein each data set is identified as to time of occurrence.

12. (Previously Presented): A system for monitoring performance, reliability and condition of apparatus used with machines comprising:

a computer chip positioned with a line replaceable unit for receiving and storing a set of as built data for said line replaceable unit, wherein said set of as built data comprises place of manufacture, and for receiving and storing a set of operational data from sensors of said line replaceable unit;

a smart data memory module positioned with a machine operating with a plurality of line replaceable units and in communication with said computer chip of each line replaceable unit wherein said smart data memory module receives and stores a set of as built data associated with each line replaceable unit and receives and stores a plurality of sets of operational data transmitted from each line replaceable unit;

an electronic control unit in communication with said smart data memory module;
and

a smart trend monitor element operating in said electronic control unit wherein said set of as built data and said sets of operational data are compared to determine the operational state of each line replaceable unit.

Appl. No. 10/053,183

Reply to Office Action of June 18, 2004

13. (Previously Presented): The system as in claim 12 wherein said set of as built data further comprises part number, serial number, unit performance characteristics, new and repair status, and type of repair.

14. (Previously Presented): The system as in claim 12 wherein said sets of operational data comprises hours accumulated, number of starts accumulated and built in test results that have occurred during specified time periods wherein each data set is identified as to time of occurrence.

Appl. No. 10/053,183

Reply to Office Action of June 18, 2004

15. (Original): A method for determining maintenance requirements for an apparatus operating with machinery, comprising the steps of:

locating a computer chip with a line replaceable unit and providing communication with a smart data memory module;

storing as built data in the computer chip;

monitoring and storing operational data from said line replaceable unit in the computer chip;

placing an electronic control unit in communication with said smart data memory module;

communicating with said computer chip to determine the part number and serial number thereof;

comparing the received part number and the serial number with the data stored in the smart data memory module;

retrieving and storing the as built data in said line replaceable unit if the part number and the serial number do not match;

retrieving and storing the operational data of said line replaceable unit in said smart data memory module;

presenting the as built data and the operational data to a smart trend monitor element; and

comparing the as built data and the operational data in said smart trend monitoring element to determine the operational state of said line replaceable unit.

16. (Original): The method as in claim 15 further comprising the step of:

communicating the results of the comparison of the as built data and the operational data to a performance monitoring system.

Appl. No. 10/053,183

Reply to Office Action of June 18, 2004

17. (Original): The method as in claim 15 further comprising the steps of:

determining if said line replaceable unit is pending failure; and

generating a signal for a pending failure.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.